

SONI-5800 [50P4124]

PATENTWHAT IS CLAIMED IS:

- 5 1. An electronic data marker device, comprising:  
a display unit including a plurality of display panels positioned on said display unit; and  
an input unit for inputting data marks, said display unit is configured to receive said data marks from said input unit and correspondingly display said data marks on said plurality of display panels.
- 10 2. The device of claim 1 wherein said display unit includes one of a liquid crystal display, a cathode ray tube display, and a touchpad display unit.
- 15 3. The device of claim 1 further including a base mounted to said display unit for vertically supporting said display unit.
- 20 4. The device of claim 1 wherein each of said plurality of display panels on said display unit are non-overlapping.
- 25 5. The device of claim 1 wherein each of said plurality of panels have substantially the same dimensions.
- 30 6. The device of claim 5 wherein said plurality of display panels are arranged on said display unit in a substantially uniform array.
7. The device of claim 5 wherein each of said plurality of display panels are of one of a square shape, a triangular shape, and a rectangular shape.
8. The device of claim 1 wherein said display unit is configured to selectively display an indication of said received data marks on a corresponding one or more of said plurality of display panels.
9. The device of claim 8 wherein said display unit displays said indication

SONI-5800 [50P4124]

PATENT

of received data marks by illuminating said corresponding one or more of said plurality of display panels.

5 10. The device of claim 1 wherein said data marks include information corresponding to a music file.

10 11. The device of claim 10 wherein said information corresponding to said music file includes a text and an image information corresponding to said music file.

12. The device of claim 1 wherein said input unit includes a spring loaded button.

15 13. The device of claim 1 wherein said input unit includes a music broadcast mark button and a television broadcast mark button.

14. The device of claim 1 further including an output unit for coupling to an external device.

20 15. The device of claim 14 wherein said output unit includes one or more of a USB port, a serial port, a parallel port, and an infra red (IR) port.

25 16. The device of claim 14 wherein said external device includes one or more of a personal computer, a personal digital assistant, a television set, a mobile telephone, a pager, and a wireless communication device.

17. The device of claim 14 wherein said external device is configured to correspondingly display said received data marks on said external device.

30 18. The device of claim 17 wherein said data marks are music marks corresponding to music files and further, wherein said data marks displayed on

SONI-5800 [50P4124]

PATENT

said external device includes information corresponding to said each received music marks.

5 19. The device of claim 18 wherein said music marks displayed by said external device includes one or more of a title of the music corresponding to said each music marks, a name of the artist corresponding to each music marks, a title of the album corresponding to each music marks, and a graphical display of an album cover corresponding to each music marks.

10 20. A method, comprising:  
receiving a data mark; and  
displaying the data mark.

15 21. The method of claim 20 further including:  
determining that maximum number of data marks have been received;  
and  
outputting an output signal responsive to said determining step.

20 22. The method of claim 21 wherein said output signal includes one of an audio signal and a display signal.

23. The method of claim 21 wherein said maximum number is nine.

25 24. The method of claim 20 wherein said step of displaying said data mark includes the step of illuminating a display panel corresponding to the receiving step.

30 25. The method of claim 20 wherein said data marks include one or more of a time stamp information and a date stamp information.

SONI-5800 [50P4124]

PATENT

26. A method, comprising:  
detecting a connection to a gateway device;  
transmitting stored data marks to said gateway device;  
receiving data corresponding to said data marks; and  
displaying said received data.
27. The method of claim 26 further including:  
detecting a disconnection from said gateway device; and  
resetting said stored data marks.
28. The method of claim 27 wherein the resetting step includes deleting the  
stored data marks.
29. The method of claim 26 wherein said connection includes one of a  
parallel, serial or USB cable connection, a wireless connection.
30. The method of claim 26 wherein said gateway device includes one of a  
personal computer and a server terminal.
31. The method of claim 26 wherein said received data includes one or more  
of text data, still image data, animated image data, and video data corresponding  
to the stored data marks.
32. An electronic data marker device, comprising:  
input means for inputting a plurality of data marks; and  
display means for displaying a plurality of data marks, said display  
means configured to display said data marks received from said input on  
corresponding display panels.